Applicants have carefully studied the outstanding Official Action. The present response is intended to be fully responsive to all points of rejection raised by the Examiner and is believed to place the application in condition for allowance. Favorable reconsideration and allowance of the application is respectfully requested.

Application as examined included claims 1-52. In the present response, claim 23 has been amended. Claims 1-22 and 24-52 are unchanged.

Claims 1, 3, 5-7, 9 and 21 stand rejected under 35 U.S.C. 102(b) as being anticipated by Korchagin et al (U.S. Published Patent Application No. 2005/0023082).

Claims 2 and 15-19 stand rejected under 35 U.S.C. 103(a) as being unpatentable over Korchagin (U.S. Published Patent Application No. 2005/0023082) in view of Hyacinthe (U.S. Patent No. 7,377,218). Claims 4 and 10 stand rejected under 35 U.S.C. 103(a) as being unpatentable over Korchagin (U.S. Published Patent Application No. 2005/0023082) in view of Hernandez (U.S. Patent No. 6,318,503).

Claims 8, 11, 27-28, 30, 32-37, 39-40 and 47-52 stand rejected under 35 U.S.C. 103(a) as being unpatentable over Korchagin (U.S. Published Patent Application No. 2005/0023082) in view of Keegan et al (U.S. Patent No. 5,671,824). Claim 12 stands rejected under 35 U.S.C. 103(a) as being unpatentable over Korchagin (U.S. Published Patent Application No. 2005/0023082) in view of Orgeron (U.S. Patent No. 4,520,900). Claims 13-14 stand rejected under 35 U.S.C. 103(a) as being unpatentable over Korchagin (U.S. Published Patent Application No. 2005/0023082).

Claims 20-26 stand rejected under 35 U.S.C. 103(a) as being unpatentable over Korchagin in view of Hyacinthe and further in view of Keegan. Claims 29 and 41-46 stand rejected under 35 U.S.C. 103(a) as being unpatentable over Korchagin in view of Keegan and further in view of Hyacinthe.

Claim 31 stands rejected under 35 U.S.C. 103(a) as being unpatentable over Korchagin in view of Keegan and further in view of Hernandez. Claim 38 stands rejected under 35 U.S.C. 103(a) as being unpatentable over Korchagin in view of Keegan and further in view of Orgeron.

Application No. 10/598,109
Amendment dated October 13, 2008
Reply to Office Action of June 13, 2008

Korchagin et al describes an elevator system for traveling on a rail attached to the outside of a high-rise building. Hyacinthe describes a rescue assembly including a vehicle that rides upon a track operated by a network of pistons set in a left to right array and connected by slanted bridges.

Hernandez describes an exterior emergency escape system for use on a multi-storied building including an escape module for holding people escaping from the multi-storied building and for moving along the exterior of the multi-storied building, cables for suspending the escape module from the comice of the roof, and apparatus for moving the escape module vertically along the exterior of the multi-storied building. Keegan et al describes an emergency escape elevator featuring a release device for releasing the elevator from its tethering cable, allowing the elevator to descend under the force of gravity. Orgeron describes a personnel escape mechanism for emergency evacuation of a high-rise building.

Applicants express appreciation to Examiner Candace Bradford and SPE Katherine Mitchell for the courtesy of an interview, which was granted to Applicants' representative, Sanford T. Colb (Reg. No. 26,856). The interview was held in the USPTO on September 10, 2008. The substance of the interview is set forth in the Interview Summary.

At the interview, claims 1 and 2 were discussed vis-à-vis the prior art references of Korchagin and Hyacinthe. The Interview Summary states, in relevant part, "The attorney and examiner agreed that the Korchagin reference does not appear to teach a concomitant operation of the rescue platform... The attorney explained that the term fan descender as disclosed in the provisional specification is the narrower term for a dynamic resistance device, therefore there is support for the dynamic resistance device in the provisional application in which the filling date is earlier than the Hyacinthe reference."

As discussed at the interview, applicants respectfully submit that the prior art reference of Korchagin, does not show or suggest the mass rescue system of the present invention, as recited in claim 1, including, inter alia, at least first and second rescue platforms mounted on at least one elongate flexible element at locations therealong arranged with respect to upper and lower rotatable supports such that downward motion of said first rescue platform produces concomitant upward motion of said second rescue platform and vice versa.

Application No. 10/598,109

Amendment dated October 13, 2008

Reply to Office Action of June 13, 2008

Applicant respectfully submits that the none of the prior art references, either alone or in combination, show or suggest the mass rescue system of the present invention, as recited in claim 1, including, inter alia, at least first and second rescue platforms mounted on at least one elongate flexible element at locations therealong arranged with respect to upper and lower rotatable supports such that downward motion of said first rescue platform produces concomitant upward motion of said second rescue platform and vice versa, and that claim 1 is therefore patentable.

As discussed at the interview, applicant respectfully submits that the prior art reference of Korchagin, does not show or suggest the mass rescue system of the present invention, as recited in claim 27, including, inter alia, a first rescue platform and a counterweight mounted on at least one elongate flexible element at locations therealong arranged with respect to upper and lower rotatable supports such that downward motion of the first rescue platform produces concomitant upward motion of the counterweight and vice versa.

Applicant respectfully submits that the none of the prior art references, either alone or in combination, show or suggest the mass rescue system of the present invention, as recited in claim 27, including, inter alia, a first rescue platform and a counterweight mounted on at least one elongate flexible element at locations therealong arranged with respect to upper and lower rotatable supports such that downward motion of the first rescue platform produces concomitant upward motion of the counterweight and vice versa, and that claim 27 is therefore patentable.

As discussed at the interview, applicant respectfully submits that the prior art reference of Hyacinthe, concerning the dynamic resistance device recited in the claims is not a valid prior art reference since it claims priority from U.S. Provisional Patent Application Serial No. 60/634,637, filed December 10, 2004, while the present application claims priority from U.S. Provisional Patent Application Serial No. 60/546,006, filed February 18, 2004. As discussed at the interview, the fan descender disclosed in U.S. Provisional Patent Application Serial No. 60/546,006, is a specific type of dynamic resistance device.

Applicant respectfully submits that the none of the prior art references, either alone or in combination, show or suggest the method for mass rescue of the present invention, as recited in claim 22, including, inter alia, providing ... at least one elongate flexible element having at least first and second rescue platforms mounted at locations therealong arranged with respect to upper

Application No. 10/598,109 Amendment dated October 13, 2008 Reply to Office Action of June 13, 2008

and lower rotatable supports such that downward motion of the first rescue platform produces concomitant upward motion of the second rescue platform and vice versa and providing dynamic resistance governing vertical motion of the at least one elongate flexible element with respect to the upper and lower rotatable supports, and that claim 22 is therefore patentable

Applicant respectfully submits that the none of the prior art references, either alone or in combination, show or suggest the method for mass rescue of the present invention, as recited in claim 48, including, inter alia, providing upper and lower rotatable supports having at least one elongate flexible element wound thererabout, the at least one elongate flexible element having a first rescue platform and a counterweight mounted at locations therealong arranged with respect to the upper and lower rotatable supports such that downward motion of the first rescue platform produces concomitant upward motion of the counterweight and vice versa and providing dynamic resistance governing vertical motion of the at least one elongate flexible element with respect to the upper and lower rotatable supports, and that claim 48 is therefore patentable.

Dependent method claim 23 has been amended to depend from method claim 22 instead of system claim 20.

Claims 2-21 each depend directly or ultimately from claim 1 and recite additional patentable subject matter and therefore are allowable. Claims 23-26 each depend directly or ultimately from claim 22 and recite additional patentable subject matter and therefore are allowable.

Claims 28-47 each depend directly or ultimately from claim 27 and recite additional patentable subject matter and therefore are allowable. Claims 49-52 each depend directly or ultimately from claim 48 and recite additional patentable subject matter and therefore are allowable.

Applicant has carefully studied the remaining prior art of record herein and concludes that the invention as described and claimed in the present application is neither shown in nor suggested by the cited art.

Applicant reserves the right to pursue the claims as filed in the context of a continuation application.

In view of the foregoing remarks, all of the claims are believed to be in condition for allowance. Favorable reconsideration and allowance of the application is respectfully requested.

Dated: October 13, 2008

Respectfully submitted,

S. Peter Ludwig

Registration No.: 25,351

DARBY & DARBY P.C. P.O. Box 770

Church Street Station

New York, New York 10008-0770 (212) 527-7700

(212) 527-7701 (Fax)

Attorneys/Agents For Applicant



UNITED STATES DEPARTMENT OF COMMERCE United States Putous and Trademark Office Address COMMISSIONER FOR PATENTS AND THE HOPE OF THE PATENTS AND THE PATENT

APPLICATION NO	FILING DAYS.	FIRST NAMED INVENTOR		. Col
10/598,109 728 DARHY & DA P.O. BOX 770 Church Street S New York, NY	tation	Oren Meitos	ATTORNEY DOCKET NO 06727/0205334-US0 EXAM BRADFORD, ART UNIT 3634	
ease find helow a	md/or attached on Occ		MARL DATE 09/12/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication

	Application No.	Applicant(s)	
Interview Summary	10/598,109	MEITUS ET AL.	
interview Summary	Examiner	Art Unit	
	CANDACE L. BRADFORD	3634	
Ali participants (applicant, applicant's representative, F	PTO personnel):		
) CANDACE L. BRADFORD.	(3)Sanford Colb.		
2) Katherine Mitchell	(4)		
Date of Interview: 10 September 2008.			
Type: a) ☐ Telephonic b) ☐ Video Conferenca c) ☑ Personal [copy given to: 1) ☐ applican	t 2)⊠ applicant's representat	ive)	
Exhibit shown or demonstration conducted: d) Ye If Yes, brief description:	s e)⊠ No.		
Claim(s) discussed: Claims 1 and 2.			
dentification of prior art discussed:			
Agreement with respect to the claims f) was reache	d. g) ☐ was not reached. h)⊠	N/A.	
Substance of Interview Including description of the gereached, or any other comments: <u>See Continuation Si</u>	hoel.		
A fuller description, if necessary, and a copy of the ar allowable, if available, must be attached. Also, where allowable is available, a summary thereof must be atta	no copy of the amendments that	agreed would render the clain it would render the claims	
HE FORMAL WRITTEN REPLY TO THE LAST OFFI MITERVIEW, (See MPEP Section 713.04). If a reply by JIVEN A NON-EXTENDABLE PERIOD OF THE LONG MITERVIEW DATE, OR THE MAILING DATE OF THE! LILE A STATEMENT OF THE SUBSTANCE OF THE! Equirements on reverse side or on attached sheet.	o the last Office action has alrea SER OF ONE MONTH OR THIF INTERVIEW SUMMARY FOR!	idy been filed, APPLICANT IS RTY DAYS FROM THIS VI, WHICHEVER IS LATER, T	

/KATHERINE W MITCHELU Supervisory Palent Examiner, Art Unit 3634

U.S. Palent and Yorkenerk Office PTOL-413 (Rev. 04-03)

Interview Summary

Paper No. 20080910

Summary of Record of Interview Requirements

Manual of Patant Examining Procedure (MPEP), Section 713.04, Substance of Interview Must be Made of Record
A complete wittern statement in a to the substance of any face-foace, vade contenence, or telephone interview with regard to an application must be made of record in the application whether or no an approved with the extention was received at the interview.

Title 37 Gods of Federal F

In every instance where reconsideration is requested to view of an interview with an examiner, a complete written statement of the reasons presented at the interview as warrenting (secretile action must be filed by the applicant. An interview does not remove the necessity for reply to Office action as specified in §§ 1.111, 1.135. (35 U.S.C. 132)

All business with the Patent or Testimus Office should be treatcasted in white page state or she'd attempts or eight at the Patent and Testimus Office should be treatcasted in writing. The proceed districtions of expicitants or she'd attempts or eight at the Patent and Testimus Office in unnecessary. The others of the Patent and Testimus Office in unnecessary. The others of the Patent and Testimus Office in unnecessary. The others of the Patent and Testimus Office in unnecessary or eight at the Patent and Testimus Office in unnecessary.

The action of the Proton and Trademine Citize connot be tasked exclasively on the written record in the Office of that record is fased included. It is the responsibility of the special or that the proton of the proton of the special or the special to make the substance of an interview of record in the application (is, unless the exclusive proton proton to the proton of the special or the speci which bear directly on the question of pater

Exercises must complete an interview Summing Farm for each interview hold where a matter of a debation has been disquised during the interview by charged the peopropies because of delign in the black. Deceasions regarding by promobal and marked each promobal and marked each promobal and an interview promobal and marked each promobal and prom

The interview Summary Form that be given an appropriate Paper No., placed in the right hand portion of the libs, and isled on the Coulter's section at the file wroper. In a personal interview, a displace of the Form is given to the applicate (or storrey or spiral of the conclusion of the interview, the case of a lession or used on extension antimary, the copy or settled or resultance or used on extension antimary, the copy or settled or resultance address either with or pair to be part of their companions or used on the section of the instruction of the instruction of the control of t

- The Form provides for recordation of the following Information:

 Application Number (Series Code and Serial Number)
- Neme of applicant
- Name of examine
- Date of Interview
- Type of Interview (telephonic, video-conference, or personal)
 Name of participant(s) (applicant, storney or agent, examiner, other PTO personnel, etc.)
 An indication whether or not an axhibit wee shown or a demonstration conducted
- An organization whether or not an another was shown or a demonstration consultant.
 An intellization of the specific point of intelligent and its o, a description of the general nature of the appearant (may noticely and intelligent and its o, a description of the general nature of the appearant (may be by additionally of a confident or an another appearant being advancted). Hote: Appearant and to advancibly is familiarity and appearant or an another appearant or an another appearant or an another appearant or an another appearant or an appeara

It is destrable that the exeminer orally remard the applicant of his or her obtigation to record the substance of the interview of each case. It should be noted, however, that the interview Gommany Form with risk mornally be considered a complete and proper recorded to the 'therefore university includes.' In the substance of its supplemental by the application of the examinar to include, and of the application for the examinar to include, and of the application for examinar to include, and of the application for concentring the

- lance of the interview
- as of the habitory

 by the supplies of the control of the supplies of any informities both indivise a least the following applicable limits:

 1) A best insurption of the nature of any shall allow or any demonstration conducted,

 2) an institution of the specific price of allowand.

 3) an institution of the specific price of all proceeds.

 3) an institution of the specific price of all proceeds.

 3) an institution of the specific price of all proceeds.

 5) a best institution of the specific price of all proceeds.

 5) a best institution of the price of the price of all proceeds.

 5) a best institution of the price of the price of a substantive nature discussed, unless these are already described on the institution of the price of the price of a supplies of the price of a substantive nature of the control of the price of the the everniner

us examiner.

Examiners are expected to carefully review the applicant's record of the substance of an intendew. If the record is not complate and accurate, the examiner will give the applicant an extended to be month time period to correct the record.

Everylour to Chack for Accuracy

sistement attributed to this network of the coord, the examiner should send a latter setting forth the examiner's version of the sistement attributed to this network in the modors (a complete and accurate, the examiner thould place the midication, "interview Record OK" on the paper recording the substance of the interview along with the date and the examiner's initiative.

Continuation of Substance of Interview including description of the general nature of what was agreed to if an agreement was resched, or any other comments. The attorney and examiner agreed that the Korchagin et al. reference does not appear to teach or concomitant operation of the rescue platforms and that if careful review confirms this, either a new non-final or an allowance action would be issued. The attorney explained that term fan descender as disclosed in the provisional specification is the nurrower term for a dynamic resistance device, therefore there is support for the dynamic resistance device in the provisional application in which the filing date is earlier than the Hyadrible reference.